

ASSEMBLY INSTRUCTIONS



ELS300K2-K

**Elise black mesh back operator chair
with headrest and black mesh seat**

Parts list

Letter	Components	Pieces
A	 Gas piston	1
B	 Castors	5
C	 M8x20mm	3
D	 M6x30mm	10
E	 M6x25mm	4
F	 Seat	1
G	 Arms	2
H	 Base	1
I	 Back	1
J	 Allen key	1
K	 Cable mechanism	1
L	 Headrest	1
M	 PRE-INSERTED	2


Assembly

Do not tighten bolts fully until you have completed assembly.


Please note the fixing screws are located in their fixing points if not found in the parts bag.

Should you require any assistance in assembling your goods please contact customer services on 0151 548 7111 between 9am/4:30pm.

- 1** Attach the gas lift (A) and castors (B) to the base (H).



- 2** Insert the arms (G) into the seat (F) using 6 × screw (D).




Assembly

Do not tighten bolts fully until you have completed assembly.


Please note the fixing screws are located in their fixing points if not found in the parts bag.

Should you require any assistance in assembling your goods please contact customer services on 0151 548 7111 between 9am/4:30pm.

- 3** Insert the cable mechanism (K) into the seat (F) using 4 × screw (D) and 4 × screw (E).



- 4** Attach the back (I) to the seat (F) using 3× screw (C).




Assembly

Do not tighten bolts fully until you have completed assembly.

Please note the fixing screws are located in their fixing points if not found in the parts bag.


Should you require any assistance in assembling your goods please contact customer services on 0151 548 7111 between 9am/4:30pm.

- 5** Carefully push the seat into the base to complete assembly.



- 6** Insert the headrest (L) to the back (I) using 2 x screw (M).

Please note: the screw (M) are pre-inserted in the position, please remove them before assembly.




Assembly

Do not tighten bolts fully until you have completed assembly.







Please note the fixing screws are located in their fixing points if not found in the parts bag.

Should you require any assistance in assembling your goods please contact customer services on 0151 548 7111 between 9am/4:30pm.






7 Now your Elise Black Mesh Back Operator Chair is ready to use!




Functions



Functions



Lift the handle upwards to lock the tilt or downwards for free-floating action.



The handle rotates forward or backward to adjust the tension of the tilt on the chair.