

Acrylic  
Recycled  
Polyester

Soltis Perform 92

Soltis Proof 96  
Précontraint 302

## Collection Compact



**GOSSOUTDOOR**

shading systems





# GOSSOUTDOOR

shading systems



In this GOSS Outdoor collection we present an extensive selection of high-quality fabrics for the outdoor sphere. These come in a variety of material grades and are suitable for all our awning models. The collection includes acrylic and polyester fabrics as well as semi-transparent fabrics, and we have also added waterproof materials to our product portfolio.

Featuring in the range for the first time are woven fabrics made using 85% recycled polyester from PET bottles. They will appeal to those of you who appreciate environmentally friendly and sustainable products even when it comes to choosing a sunshade. Immerse yourself in the world of colours and patterns, from timeless and elegant classic designs to modern mélange and tactile 3D textures.

We are the third generation of the GOSS Outdoor family to engage in the manufacturing industry. Within just a few years, the development and production of technically advanced awnings and glass roofs have made the name of GOSS Outdoor, a family-run, medium-sized English company, renowned in the industry as a manufacturer of high-quality products.

With decades of experience in the field of sunshades and privacy screens together with a corporate history spanning around a quarter of a century, we offer you a high level of competence. We put all our expertise and our passion into the design, technology and reliability of our products - into producing top quality "made in England".

## Solution-dyed acrylic fabrics

Woven acrylic fabrics are the classic awning fabrics with a **textile feel that is pleasant to the touch**. Available in a wide range of colours, textures and patterns, they are perfect for providing privacy and shade on many awning models. On folding arm and glass roof awnings in particular, as well as in the case of facade awnings, they add a superb creative touch to house, patio or balcony.


All the acrylic fabrics in this collection are **solution-dyed to the high-est standard** and are **particularly UV-resistant** as a result. Impreg-nation with a Teflon or Cleangard finish renders them rot-resistant and extremely **durable**.

Sole  
Caffe  
Terra  
Granit  
Flora  
Aqua


# Acrylic




# Sole




**15100** Acrylic 1 UPF **50+**




**14611** Acrylic 2 UPF **20+**




**14735** Acrylic 1 UPF **45**



**14509** Acrylic 1 UPF **50**




**14612** Acrylic 2 UPF **50+**



**14614** Acrylic 2 UPF **50+**



**14310** Acrylic 1 UPF **50+**



**14727** Acrylic 1 UPF **50+**



**14330** Acrylic 1 UPF **50+**

*[Illustrations approx. 100 %.]*



**13010**  
Acrylic 1  
UPF **15**



**13404**  
Acrylic 1  
UPF **50+**



**11263**  
Acrylic 1  
UPF **15**



**11201**  
Acrylic 1  
UPF **35**



**11706**  
Acrylic 1  
UPF **50+**



60 cm [24"]


120 cm [48"]





**11274**  
Acrylic 1

UPF **30**




**11171**  
Acrylic 1

UPF **40**



**11363**  
Acrylic 1

UPF **50+**




**11181**  
Acrylic 1

UPF **50+**



**11701**  
Acrylic 1

UPF **45**



**11350**  
Acrylic 1

UPF **25**



**11310**  
Acrylic 1

UPF **35**




**11311**  
Acrylic 1

UPF **50+**



**11342**  
Acrylic 1

UPF **50+**




60 cm [24"]

120 cm [48"]

# Sole



**11702**  
Acrylic 1  
UPF **50**




**11959**  
Acrylic 1  
UPF **50+**



**11290**  
Acrylic 1  
UPF **50+**




**11340**  
Acrylic 1  
UPF **50+**




**11313**  
Acrylic 1  
UPF **50+**




**11335**  
Acrylic 1  
UPF **50+**



**11353**  
Acrylic 2  
UPF **50+**



**11352**  
Acrylic 2  
UPF **50+**



**11351**  
Acrylic 1  
UPF **50+**



60 cm [24"]


120 cm [48"]




# Granit




14638 Acrylic 2 UPF 10+




14642 Acrylic 2 UPF 10+




14050 Acrylic 1 UPF 15



14652 Acrylic 1 UPF 15




14706 Acrylic 1 UPF 20



14516 Acrylic 1 UPF 15




14505 Acrylic 1 UPF 25



14511 Acrylic 1 UPF 35




14051 Acrylic 1 UPF 50



14651 Acrylic 1 UPF 50+



14320 Acrylic 1 UPF 50+



14512 Acrylic 1 UPF 25



14729 Acrylic 1 UPF 45




14653 Acrylic 1 UPF 50+




14506 Acrylic 1 UPF 50



14052 Acrylic 1 UPF 50+




14503 Acrylic 2 UPF 50+



14644 Acrylic 2 UPF 50+



14515 Acrylic 1 UPF 50+



14737 Acrylic 1 UPF 50+




14709 Acrylic 1 UPF 50+




14501 Acrylic 2 UPF 50+



14441 Acrylic 1 UPF 50+



14657 Acrylic 1 UPF 50+



14053 Acrylic 1 UPF 50+



14502 Acrylic 2 UPF 50+



14630 Acrylic 2 UPF 50+

Illustrations approx. 100 %.




# Granit



**13050**

Acrylic 1


UPF **15**



**13060**

Acrylic 1

UPF **15**



**13402**

Acrylic 1



UPF **15**



**13501**

Acrylic 1

UPF **50+**



**13505**

Acrylic 1


UPF **50+**



**13401**

Acrylic 1

UPF **50+**



**11121**

Acrylic 1

UPF **25**



**11355**

Acrylic 1

UPF **20**



**11713**

Acrylic 1

UPF **15**



60 cm [24"]

120 cm [48"]






**11743**  
Acrylic 1

UPF **35**




**11365**  
Acrylic 1

UPF **15**




**11970**  
Acrylic 2

UPF **50+**




**11277**  
Acrylic 1

UPF **40**




**11320**  
Acrylic 1

UPF **50+**




**11711**  
Acrylic 2

UPF **40+**




**11357**  
Acrylic 1

UPF **25**



**11358**  
Acrylic 1

UPF **15**



**11967**  
Acrylic 2

UPF **50+**




60 cm [24"]

120 cm [48"]

# Granit



**11359**  
Acrylic 2  
UPF 50+



**11969**  
Acrylic 2  
UPF 50+



**11354**  
Acrylic 1  
UPF 40



**11356**  
Acrylic 1  
UPF 35





**11360**  
Acrylic 2  
UPF 50+



**11361**  
Acrylic 2  
UPF 50+



**11364**  
Acrylic 1  
UPF 50+



**11716**  
Acrylic 2  
UPF 50+



**11748**  
Acrylic 1  
UPF 50+



60 cm [24"]

120 cm [48"]





**11717**

Acrylic 2


UPF 50+



**11971**

Acrylic 1


UPF 50+



**11362**

Acrylic 2

UPF 50+



60 cm [24"]

120 cm [48"]






# Caffe



14600 Acrylic 2 UPF 40+



14601 Acrylic 2 UPF 40+



14641 Acrylic 2 UPF 50+



14507 Acrylic 1 UPF 15




14605 Acrylic 2 UPF 40+



14650 Acrylic 1 UPF 50+



14702 Acrylic 2 UPF 40+




14604 Acrylic 2 UPF 50+



14513 Acrylic 1 UPF 50+



14508 Acrylic 1 UPF 50



14514 Acrylic 1 UPF 50+



14440 Acrylic 1 UPF 50+




14717 Acrylic 1 UPF 50+



14707 Acrylic 1 UPF 50+



14655 Acrylic 1 UPF 50+




14608 Acrylic 1 UPF 50+



14609 Acrylic 2 UPF 50+




14701 Acrylic 2 UPF 50+




14645 Acrylic 2 UPF 50+


Illustrations approx. 100 %.



11728  
Acrylic 2  
UPF 50+



11416  
Acrylic 2  
UPF 50+



60 cm [24"]

120 cm [48"]






**11370**

Acrylic 1

UPF **30**



**11730**

Acrylic 2


UPF **50+**



**11367**

Acrylic 1

UPF **50+**



**11368**

Acrylic 1


UPF **30**



**11366**

Acrylic 1

UPF **50+**



**11731**

Acrylic 2


UPF **50+**



**11734**

Acrylic 1

UPF **50+**



**11369**

Acrylic 2

UPF **50+**



60 cm [24"]

120 cm [48"]

# Terra



14620 Acrylic 2 UPF 50+



14290 Acrylic 1 UPF 50+



14619 Acrylic 2 UPF 50+




14300 Acrylic 1 UPF 50+



14618 Acrylic 2 UPF 50+



14621 Acrylic 2 UPF 50+



14715 Acrylic 1 UPF 50+



14623 Acrylic 2 UPF 50+



14622 Acrylic 2 UPF 50+




14703 Acrylic 2 UPF 50+




14624 Acrylic 2 UPF 50+

[Illustrations approx. 100 %.]



13403  
Acrylic 1  
UPF 15




11981  
Acrylic 2  
UPF 50+



11014  
Acrylic 1  
UPF 50+



11332  
Acrylic 1  
UPF 40



60 cm [24"]

120 cm [48"]






**11328**

Acrylic 1

UPF 50+



**11348**

Acrylic 1

UPF 50+



**11747**

Acrylic 2

UPF 50+



**11371**

Acrylic 1


UPF 50+



**11373**

Acrylic 2

UPF 50+



**11372**

Acrylic 2

UPF 50+



**11741**

Acrylic 2


UPF 50+



**11476**

Acrylic 1


UPF 50+



60 cm [24"]

120 cm [48"]

# Flora



15110 Acrylic 1 UPF 50



15120 Acrylic 1 UPF 50



14510 Acrylic 1 UPF 50




14633 Acrylic 2 UPF 50



14634 Acrylic 2 UPF 50



14280 Acrylic 1 UPF 50



14636 Acrylic 2 UPF 50

(Illustrations approx. 100 %.)







**13070**

Acrylic 1

UPF **15**



**11378**

Acrylic 1

UPF **25**



**11287**

Acrylic 1


UPF **30**



**11322**

Acrylic 1


UPF **50**



**11323**

Acrylic 1

UPF **50+**



**11724**

Acrylic 2


UPF **50+**



**11377**

Acrylic 2


UPF **50+**



**11379**

Acrylic 2


UPF **50+**



60 cm [24"]

120 cm [48"]

# Aqua



14646 Acrylic 2 UPF 50




14625 Acrylic 2 UPF 50



14626 Acrylic 2 UPF 50



14504 Acrylic 2 UPF 50



14627 Acrylic 2 UPF 50



14628 Acrylic 2 UPF 50

(Illustrations approx. 100 %.)








**13030**

Acrylic 1



UPF **15**



**11281**

Acrylic 1



UPF **45**



**11294**

Acrylic 1


UPF **50+**



**11749**

Acrylic 1


UPF **50**



**11375**

Acrylic 1


UPF **20**



**11422**

Acrylic 2

UPF **40+**



**11374**

Acrylic 2

UPF **50+**



**11376**

Acrylic 2








UPF **50+**



60 cm [24"]

120 cm [48"]

# Technical Information

	Acrylic 1	Acrylic 2
		
Material base	<b>100 % Acrylic</b> solution dyed, designed for outdoor use	
Width	ca. 120 cm [47"]	
Weight	300 - 310 g/m <sup>2</sup> , +/- 5%	290 g/m <sup>2</sup>
Breaking Load	<i>Warp</i> : 1600- 1700 N; Elongation: 22,0-25.5 %  <i>Weft</i> : 970 - 1000 N; Elongation : 24,5 - 25,5 % UNI EN ISO 13934-1	<i>Warp</i> : 1400 N; Elongation: 23.0 %  <i>Weft</i> : 900 N; Elongation : 20.0 % UNI EN ISO 13934-1
Water column	≥ 350 mm – UNI-EN 20811	> 350 mm – ISO 811 Schmerber
Oil-repellent	Stufe 5 [ <i>Degree 5</i> ] AATCC 118	Stufe 4-5 [ <i>Degree 4-5</i> ] ISO 14419
Fastness to light and weather conditions	<i>7/8 degree blue scale – UNI EN ISO 105 B04</i> <i>4-5/5 degree grey scale after 1000 hours of exposition – UNI EN ISO 105 B04</i>	
Finishing	<i>soil-resistant, water- and oil-repellent, mould-resistant</i>	
	 	
Certification		




# Light properties


## Acrylic



No.	Colour	Material	UPF	TS	RS	AS	TV	g tot °
11014	■	Acrylic 1	50+	11	38	51	7	0,12
11121	■	Acrylic 1	25	19	52	29	17	0,15
11171	■	Acrylic 1	40	24	59	17	23	0,17
11181	■	Acrylic 1	50+	17	48	35	13	0,14
11201	■	Acrylic 1	35	25	60	15	23	0,18
11263	■	Acrylic 1	15	20	54	26	18	0,16
11274	■	Acrylic 1	30	22	56	22	20	0,16
11277	■	Acrylic 1	40	15	45	40	14	0,13
11281	■	Acrylic 1	45	12	39	49	10	0,12
11287	■	Acrylic 1	30	16	45	39	15	0,14
11290	■	Acrylic 1	50+	20	52	28	14	0,16
11294	■	Acrylic 1	50+	16	43	41	12	0,14
11310	■	Acrylic 1	35	19	51	30	15	0,15
11311	■	Acrylic 1	50+	19	51	30	15	0,15
11313	■	Acrylic 1	50+	17	48	35	10	0,14
11320	■	Acrylic 1	50+	12	41	47	11	0,12
11322	■	Acrylic 1	50	12	35	53	11	0,13
11323	■	Acrylic 1	50+	10	34	56	8	0,12
11328	■	Acrylic 1	50+	14	43	43	14	0,13
11332	■	Acrylic 1	40	14	43	43	9	0,13
11335	■	Acrylic 1	50+	15	46	39	10	0,13
11340	■	Acrylic 1	50+	17	48	35	9	0,14
11342	■	Acrylic 1	50+	14	42	44	13	0,14
11348	■	Acrylic 1	50+	6	30	64	6	0,10
11350	■	Acrylic 1	25	18	52	30	16	0,14
11351	■	Acrylic 1	50+	18	50	32	13	0,15
11352	■	Acrylic 2	50+	17	49	33	12	0,14
11353	■	Acrylic 2	50+	22	54	24	18	0,17
11354	■	Acrylic 1	40	4	24	72	4	0,09
11355	■	Acrylic 1	20	12	43	45	11	0,12
11356	■	Acrylic 1	35	6	28	66	5	0,10
11357	■	Acrylic 1	25	10	36	54	10	0,11
11358	■	Acrylic 1	15	11	36	53	10	0,12
11359	■	Acrylic 2	50+	11	33	55	11	0,12
11360	■	Acrylic 2	50+	3	22	75	2	0,09
11361	■	Acrylic 2	50+	2	16	82	2	0,09
11362	■	Acrylic 2	50+	0	9	91	0	0,08
11363	■	Acrylic 1	50+	15	46	39	14	0,13
11364	■	Acrylic 1	50+	13	35	52	13	0,13
11365	■	Acrylic 1	15	18	48	34	18	0,15
11366	■	Acrylic 1	50+	3	12	85	2	0,09
11367	■	Acrylic 1	50+	10	40	50	4	0,11
11368	■	Acrylic 1	30	8	36	56	6	0,1
11369	■	Acrylic 2	50+	1	13	87	0	0,08
11370	■	Acrylic 1	30	11	31	58	10	0,12
11371	■	Acrylic 1	50+	7	30	63	2	0,1
11372	■	Acrylic 2	50+	7	30	62	0	0,10
11373	■	Acrylic 2	50+	8	35	57	1	0,11

 UPF UV- protection factor

 RS Solar Reflection %

 TV (n-h)  
Normal-hemispherical visible light transmission %

 TS Solar Transmission in %

 AS Solar Absorption %

External solar factor, Type "C" glazing:  
insulating, double glazing


Acrylic 1, Acrylic 2 – see "Technical information"

# Light properties


## Acrylic



No.	Colour	Material	UPF	TS	RS	AS	TV	g tot °
11374	■	Acrylic 2	50+	10	30	59	10	0,12
11375	■	Acrylic 1	20	11	40	49	8	0,12
11376	■	Acrylic 2	50+	5	17	78	3	0,10
11377	■	Acrylic 2	50+	12	37	51	11	0,12
11378	■	Acrylic 1	25	10	35	55	8	0,11
11379	■	Acrylic 2	50+	5	17	79	3	0,10
11416	■	Acrylic 2	50+	19	50	31	18	0,15
11422	■	Acrylic 2	40+	18	47	35	14	0,15
11476	■	Acrylic 1	50+	7	27	66	2	0,10
11701	■	Acrylic 1	45	17	48	35	15	0,14
11702	■	Acrylic 1	50	16	48	36	12	0,14
11706	■	Acrylic 1	50+	21	53	26	19	0,16
11711	■	Acrylic 2	40+	11	43	46	11	0,11
11713	■	Acrylic 1	15	18	51	31	16	0,14
11716	■	Acrylic 2	50+	1	17	81	1	0,08
11717	■	Acrylic 2	50+	1	14	85	0	0,08
11724	■	Acrylic 2	50+	8	33	59	4	0,11
11728	■	Acrylic 2	50+	14	46	41	11	0,13
11730	■	Acrylic 2	50+	11	41	48	6	0,11
11731	■	Acrylic 2	50+	8	35	57	2	0,10
11734	■	Acrylic 1	50+	8	28	64	6	0,11
11741	■	Acrylic 2	50+	13	35	52	4	0,13
11743	■	Acrylic 1	35	22	56	22	21	0,16
11747	■	Acrylic 2	50+	8	37	55	1	0,10
11748	■	Acrylic 1	50+	8	26	66	8	0,11
11749	■	Acrylic 1	50	17	45	38	10	0,15
11959	■	Acrylic 1	50+	19	51	30	15	0,15
11967	■	Acrylic 2	50+	5	32	63	4	0,09
11969	■	Acrylic 2	50+	1	14	85	0	0,08
11970	■	Acrylic 2	50+	16	46	37	16	0,14
11971	■	Acrylic 1	50+	0	10	90	0	0,08
11981	■	Acrylic 2	50+	18	49	33	16	0,15
13010	■	Acrylic 1	15	24	57	19	21	0,17
13030	■	Acrylic 1	15	16	43	41	14	0,14
13050	■	Acrylic 1	15	18	51	31	16	0,14
13060	■	Acrylic 1	15	15	46	39	15	0,14
13070	■	Acrylic 1	15	16	42	42	14	0,14
13401	■	Acrylic 1	50+	16	41	43	16	0,15
13402	■	Acrylic 1	15	26	62	12	26	0,18
13403	■	Acrylic 1	15	21	53	26	15	0,17
13404	■	Acrylic 1	50+	21	54	25	19	0,16
13501	■	Acrylic 1	50+	16	47	37	14	0,14
13505	■	Acrylic 1	50+	19	48	33	19	0,16
14050	■	Acrylic 1	15	19	54	27	18	0,15
14051	■	Acrylic 1	50	8	37	55	5	0,10
14052	■	Acrylic 1	50+	3	26	71	2	0,08
14053	■	Acrylic 1	50+	0	9	91	0	0,02
14280	■	Acrylic 1	50+	1	10	89	0	0,08

 UPF UV- protection factor

 RS Solar Reflection %

 TV (n-h)  
Normal-hemispherical visible light transmission %

 TS Solar Transmission in %

 AS Solar Absorption %

External solar factor, Type "C" glazing:  
insulating, double glazing

Acrylic 1, Acrylic 2 – see "Technical information"



# Light properties

## Acrylic



No.	Colour	Material	UPF	TS	RS	AS	TV	g tot °
14290	■	Acrylic 1	50+	13	46	41	5	0,13
14300	■	Acrylic 1	50+	16	46	38	4	0,14
14310	■	Acrylic 1	50+	19	51	30	11	0,15
14320	■	Acrylic 1	50+	6	32	62	4	0,09
14330	■	Acrylic 1	50+	11	41	48	6	0,11
14440	■	Acrylic 1	50+	5	31	64	4	0,09
14441	■	Acrylic 1	50+	4	19	77	2	0,09
14501	■	Acrylic 2	50+	1	18	81	1	0,08
14502	■	Acrylic 2	50+	0	6	94	0	0,08
14503	■	Acrylic 2	50+	3	21	76	1	0,08
14504	■	Acrylic 2	50+	3	17	79	0	0,09
14505	■	Acrylic 1	25	7	34	59	6	0,10
14506	■	Acrylic 1	50	4	20	76	4	0,09
14507	■	Acrylic 1	15	20	56	24	18	0,15
14508	■	Acrylic 1	50	10	41	49	6	0,11
14509	■	Acrylic 1	50	20	55	25	15	0,15
14510	■	Acrylic 1	50	13	43	44	7	0,12
14511	■	Acrylic 1	35	7	35	58	6	0,09
14512	■	Acrylic 1	25	7	30	63	7	0,10
14513	■	Acrylic 1	50+	14	47	39	4	0,12
14514	■	Acrylic 1	50+	5	30	65	3	0,09
14515	■	Acrylic 1	50+	1	17	82	1	0,08
14516	■	Acrylic 1	15	11	40	49	11	0,11
14600	■	Acrylic 2	40+	27	64	9	28	0,19
14601	■	Acrylic 2	40+	27	62	12	28	0,19
14604	■	Acrylic 2	50+	13	41	46	10	0,13
14605	■	Acrylic 2	40+	14	52	34	7	0,12
14608	■	Acrylic 2	50+	2	18	80	1	0,09
14609	■	Acrylic 2	50+	0	12	88	0	0,08
14611	■	Acrylic 2	20+	25	56	19	25	0,18
14612	■	Acrylic 2	50+	21	53	26	17	0,16
14614	■	Acrylic 2	50+	21	50	29	17	0,16
14618	■	Acrylic 2	50+	15	41	44	2	0,14
14619	■	Acrylic 2	50+	17	44	39	5	0,14
14620	■	Acrylic 2	50+	19	50	31	11	0,15
14621	■	Acrylic 2	50+	11	38	51	1	0,12
14622	■	Acrylic 2	50+	8	31	61	0	0,11
14623	■	Acrylic 2	50+	2	20	78	0	0,08
14624	■	Acrylic 2	50+	7	29	64	0	0,10
14625	■	Acrylic 2	50+	11	35	54	1	0,12
14626	■	Acrylic 2	50+	3	19	78	0	0,09
14627	■	Acrylic 2	50+	3	19	77	0	0,09
14628	■	Acrylic 2	50+	0	9	91	0	0,08
14630	■	Acrylic 2	50+	0	2	98	0	0,09
14633	■	Acrylic 2	50+	10	36	54	5	0,11
14634	■	Acrylic 2	50+	2	16	82	0	0,09
14636	■	Acrylic 2	50+	0	7	93	0	0,08
14638	■	Acrylic 2	10+	25	63	12	25	0,18



UPF UV- protection factor



RS Solar Reflection %



TV (n-h)  
Normal-hemispherical visible light transmission %



TS Solar Transmission in %



AS Solar Absorption %

External solar factor, Type "C" glazing:  
insulating, double glazing


Acrylic 1, Acrylic 2 – see "Technical information"


# Light properties

## Acrylic



No.	Colour	Material	UPF	TS	RS	AS	TV	g tot °
14641	■	Acrylic 2	50+	20	56	24	19	0,15
14642	■	Acrylic 2	10+	20	54	26	18	0,15
14644	■	Acrylic 2	50+	1	19	80	0	0,08
14645	■	Acrylic 2	50+	0	5	95	0	0,08
14646	■	Acrylic 2	50+	12	39	49	5	0,12
14650	■	Acrylic 1	50+	11	42	47	10	0,12
14651	■	Acrylic 1	50+	25	58	17	24	0,18
14652	■	Acrylic 1	15	17	52	31	16	0,14
14653	■	Acrylic 1	50+	3	26	71	2	0,08
14655	■	Acrylic 1	50+	5	26	69	3	0,09
14657	■	Acrylic 1	50+	0	6	94	0	0,02
14701	■	Acrylic 2	50+	2	13	85	0	0,09
14702	■	Acrylic 2	40+	20	50	30	12	0,16
14703	■	Acrylic 2	50+	6	29	65	0	0,10
14706	■	Acrylic 1	20	11	39	50	11	0,12
14707	■	Acrylic 1	50+	4	24	72	3	0,09
14709	■	Acrylic 1	50+	3	20	77	2	0,09
14715	■	Acrylic 1	50+	8	29	63	1	0,11
14717	■	Acrylic 1	50+	19	51	30	17	0,15
14727	■	Acrylic 1	50+	9	37	54	7	0,11
14729	■	Acrylic 1	45	4	26	70	4	0,09
14735	■	Acrylic 1	45	20	52	28	17	0,15
14737	■	Acrylic 1	50+	1	11	88	1	0,08
15100	■	Acrylic 1	50+	23	58	19	23	0,17
15110	■	Acrylic 1	50+	16	47	37	11	0,14
15120	■	Acrylic 1	50+	13	43	44	6	0,12

 UPF UV protection factor

 RS Solar Reflection %

 TV (n-h) Normal-hemispherical visible light transmission %

 TS Solar Transmission %

 AS Solar Absorption %

External solar factor, Type "C" glazing:  
insulating, double glazing

Acrylic 1, Acrylic 2 – see "Technical information"





GOSSOUTDOOR

---

shading systems

**A.** Unit C, Canalside North,  
John Gilbert Way, Trafford Park  
Manchester M17 1UP, United Kingdom

**T.** +44 (0) 800 689 4549  
**E.** [contact@gossoutdoor.co.uk](mailto:contact@gossoutdoor.co.uk)  
**W.** [gossoutdoor.co.uk](http://gossoutdoor.co.uk)