



General Information

Material number	35006
EAN/UPC	9002759350062
Type	ceiling fan & light

Dimensions

Article Diameter (in mm)	1320
Article Height (in mm)	333
Canopy Height (in mm)	50
Canopy Diameter (in mm)	170
Net Weight	6.1 Kilogram
Gross Weight	7.866 Kilogram
Single-Box Height (in mm)	245
Single-Box Length (in mm)	760
Single-Box Depth (in mm)	425

Fan

Motor Type	DC
Motor dimension in MM (Ø x H)	155x12
Motor Wattage	24
Adjustable Canopy	13°
Blade pitch in degree	16°
Blade Quantity	3
Protection Degree	IP20
Mains Voltage	220-240V, 50Hz

Functions

Function

remote control incl.
CCT
reversible
5 speeds

Material & Colour

Blade Material	ABS
Blade Colour (1)	white matt
Canopy Material	ABS
Canopy Colour	white matt
Enclosure Material	ABS
Enclosure Colour	white matt
Glass/Shade Material	acrylic
Glass/Shade Colour	milky

Performance

Wattage by air movement (5)	24.1
RPM (5)	170
Air Movement m ³ /Hr (5)	12120

Illuminant

Illuminant Type (1)	LED
max. Wattage (1)	1X15W
Lumen Complete	2000
Light colour Complete	TUNEABLE WHITE
Suitable for LM EEI	A++ - A

Energy Information

Maximum fan flow rate (F) in m ³ /min	202
Fan power input (P) in W	24,1
Service value (SV) in (m ³ /min)/W (acc. IEC 60879:1986)	8,38
Standby power consumption (PSB) in W	0,49
Fan sound power level (LWA) in db(A)	46
Maximum air velocity (c) in m/s	3,12

35006 CIRALI 52



12120
m³/h



5
speed
2h 8h



13°



ABS
CONSTRUCTION
NON RUST



1X15
W

